	Application No.	Applicant(s)	
	10/642,625	ODA ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Albert H. Cutler	2622	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communic IGHTS. This application is sub-	is application. If not included cation will be mailed in due cour	se. THIS
1. A This communication is responsive to Request for Continue	ed Examination filed August 31,	<u>2007</u> .	
2. ☑ The allowed claim(s) is/are <u>1-18</u> .			
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		f).	
Certified copies of the priority documents have		No	
3. Copies of the certified copies of the priority do	cuments have been received in	this national stage application	from the
International Bureau (PCT Rule 17.2(a)).	1		
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the require	ments
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMes reason(s) why the oath or de	NER'S AMENDMENT or NOTICeclaration is deficient.	CE OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) 🔲 including changes required by the Notice of Draftspers	son's Patent Drawing Review (PTO-948) attached	•
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			k) of
 DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT. 	sit of BIOLOGICAL MATER FOR THE DEPOSIT OF BIOLO	AL must be submitted. Note DGICAL MATERIAL.	the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Inforr	nal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔲 Interview Sumi	mary (PTO-413),	
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Ma 7.	endment/Comment	
Paper No./Mail Date 4.	8. 🛛 Examiner's Sta	tement of Reasons for Allowan	ce
	9. 🔲 Other		
		N.Vu	
	SUPER	NGOC-YEN VU VISORY PATENT EXAMINE	R

DETAILED ACTION

1. This office action is responsive to the Request for Continued Examination filed on August 31, 2007. Claims 1-18 are pending in the application and have been examined by the Examiner.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on August 31, 2007 has been entered.

Allowable Subject Matter

- 3. Claims 1-18 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

In regards to independent claim 1, the prior art of record does not disclose nor preclude a solid-state image pickup apparatus containing a plurality of photosensitive cells arranged in a two-dimensional array, each of said plurality of photosensitive cells including a main region and a subregion, wherein a sensitivity control circuit controls the exposure time over said subregions to adjust the predetermined sensitivity of the

Application/Control Number: 10/642,625

717 OOTRI OT TRAITIBOT: 1070 12,

Art Unit: 2622

subregion in terms of a correction ratio between the quantities of light incident on the main and subregions.

Claims 2-14 are allowed as being based upon the allowed claim 1.

In regards to independent claim 15, the prior art of record does not disclose nor preclude a method of adjusting outputs of photosensitive cells in accordance with sensitivity, wherein a plurality of photosensitive cells are arranged in a two-dimensional array and each of said plurality of photosensitive cells includes a main region and a subregion, wherein an exposure time over said subregions to adjust the predetermined sensitivity of the subregion is in terms of a correction ratio between the quantities of light incident to the main and subregions.

Claims 16-18 are allowed as being based upon the allowed claim 15.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Albert H. Cutler whose telephone number is (571)-270-1460. The examiner can normally be reached on Mon-Fri (7:30-5:00).

Application/Control Number: 10/642,625 Page 4

Art Unit: 2622

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ngoc-Yen Vu can be reached on (571)-272-7320. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AC

NGOC-YEN VO